

whatsapp web - Search x (1) WhatsApp x Purifying pollutant indicat: x Download Citations x Purifying pollutant indicat: x

https://aip.scitation.org/doi/abs/10.1063/5.0116427

MENU SIGN IN/REGISTER SEARCH CITATION SEARCH

Plantec Asia Pacific Pte
No segregation required OPEN >

AIP Publishing Conference Proceedings

HOME BROWSE INFO FOR AUTHORS FOR ORGANIZERS SIGN UP FOR ALERTS

Home > AIP Conference Proceedings > Volume 2583, Issue 1 > 10.1063/5.0116427

No Access • Published Online: 13 January 2023

Purifying pollutant indicators in tofu factory wastewater using a multi soil layering system

AIP Conference Proceedings 2583, 060016 (2023); <https://doi.org/10.1063/5.0116427>

Afjizar^{1,a)}, Rini Mayyuliani^{2,b)}, Jamaluddin^{3,c)}, and Amrizal^{3,d)}

View Affiliations View Contributors

Type here to search 28°C 10:39 PM 1/31/2023

whatsapp web - Search x (1) WhatsApp x Purifying pollutant indicat: x Download Citations x Purifying pollutant indicat: x

https://aip.scitation.org/doi/abs/10.1063/5.0116427

multi soil layering system

AIP Conference Proceedings 2583, 060016 (2023); <https://doi.org/10.1063/5.0116427>

Afjizar^{1,a)}, Rini Mayyuliani^{2,b)}, Jamaluddin^{3,c)}, and Amrizal^{3,d)}

View Affiliations View Contributors

PDF E-READER ABSTRACT TOOLS SHARE METRIC PDF

TOPICS

- Machining
- Methane production
- Chemical oxygen demand
- Electrical conductivity

ABSTRACT

The MSL system used during this experiment was made in a field laboratory scale with dimensions (height 200 cm x width 50 cm x length 50 cm). The main component of the MSL system consists of a mixed soil layer (SML) arranged in a triangular soil horizon pattern and surrounded by a Split Rock layer as a permeable layer (SSP). SML is made from local natural resources, namely sandy clay loam, sawdust from coconut stalks (*Cocos nucifera*) and iron pellets from lathe waste with a dry weight ratio of 8 : 1.9 : 0.1. The Tofu factory wastewater is channeled into the MSL system with a hydraulic loading rate (HLR) of 3166 L/m²/hour utilizing the force of gravity. Average removal efficiency of Total Suspended Solids (TSS), Biochemical Oxygen Demand (BOD₅), Chemical Oxygen Demand (COD), Nitrate-Nitrogen (NO₃⁻-N), Phosphorus (PO₄⁻-P), Oils and grease, Electric Conductivity (EC), Total Dissolved

Author Services
English Language Editing
High-quality assistance from subject specialists
Learn More!

Type here to search 28°C 10:40 PM 1/31/2023

Table of Contents

THE 5th INTERNATIONAL CONFERENCE ON AGRICULTURE AND LIFE SCIENCE 2021 (ICALS 2021): “Accelerating Transformation in Industrial Agriculture Through Sciences Implementation”

[_PREV](#) [NEXT_](#)



Conference date: 3–4 November 2021

Location: Jember, Indonesia

ISBN: 978-0-7354-4216-0

Editors:

[Peng Zhang](#) and [Tri Agus Siswoyo](#)

Volume number: 2583

Published: Jan 13, 2023

DISPLAY :

- [20](#)
- [50](#)
- [100](#)
- [all](#)

PRELIMINARY

No Access January 2023

Preface: The 5th International Conference on Agriculture and Life Science 2021 (ICALS 2021)

AIP Conference Proceedings **2583**, 010001 (2023); <https://doi.org/10.1063/12.0013388>

-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Committees: The 5th International Conference on Agriculture and Life Science 2021 (ICALS 2021)

AIP Conference Proceedings **2583**, 010002 (2023); <https://doi.org/10.1063/12.0014292>

-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

AGRONOMY AND PLANT PROTECTION

No Access January 2023

Effect of application of chicken manure and *Pseudomonas fluorescens* bacteria on growth and yield of shallot (*Allium ascalonicum* L.)

[Sri Hartatik](#) and [Diyah Ayuk Saputri](#)

AIP Conference Proceedings **2583**, 020001 (2023); <https://doi.org/10.1063/5.0117533>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effect of mutagen *ethyl methane sulfonate* and potassium treatment on organic substances of tomato

[Slameto](#), [Sigit Soeparjono](#), [Raden Soedrajad](#), [Ketut Anom Wijaya](#), [Oria Alit Farisi](#) and [Distiana Wulanjari](#)

AIP Conference Proceedings **2583**, 020002 (2023); <https://doi.org/10.1063/5.0119379>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Application of vermicompost fertilizer and mycorrhizal fungi on growth of Biduri (*Calotropis gigantea*)

[Samanhudi](#), [Ahmad Yunus](#), [Muji Rahayu](#), [Mochammad Danny Sukardan](#) and [Agung Hasudungan](#)

AIP Conference Proceedings **2583**, 020003 (2023); <https://doi.org/10.1063/5.0116574>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Efforts to reduce soil compaction in pineapple plantations using plants rotation with banana Cavendish in Central Lampung, Indonesia

Winih Sekaringtyas Ramadhani, Soemarno, Ali Rahmat, Priyo Cahyono and Fitri Wijayanti
AIP Conference Proceedings **2583**, 020004 (2023); <https://doi.org/10.1063/5.0117532>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

High yield potential of fifteen soybean accessions with different planting methods

[Runik Dyah Purwaningrahayu](#)

AIP Conference Proceedings **2583**, 020005 (2023); <https://doi.org/10.1063/5.0116199>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Sago (*Metroxylon sago*, Rottb) genetic resources in Jayapura Regency: A case study in Waibu district

[Alberth Soplanit](#), [Merlin K. Rumbarar](#) and [Niki E. Lewaherilla](#)

AIP Conference Proceedings **2583**, 020006 (2023); <https://doi.org/10.1063/5.0116358>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effect of growing media composition and coconut water concentration on the yield and quality of red chili (*Capsicum annuum* L.)

[Sigit Soeparjono](#)

AIP Conference Proceedings **2583**, 020007 (2023); <https://doi.org/10.1063/5.0119376>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Isolation and characterization of rhizobacteria, *Bacillus* spp. for controlling bacterial leaf blight and increasing shallot yield

[Yulmira Yanti](#), [Hasmiandy Hamid](#) and [Nurbailis](#)

AIP Conference Proceedings **2583**, 020008 (2023); <https://doi.org/10.1063/5.0116763>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Increasing yield of waxy maize following paddy rice through mycorrhiza-biofertilization and additive intercropping with several rows of peanut

[Nihla Farida](#) and [Wayan Wangiyana](#)

AIP Conference Proceedings **2583**, 020009 (2023); <https://doi.org/10.1063/5.0116678>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Intercropping red rice genotypes with mungbean and application of mycorrhiza-biofertilizer to increase rice yield with reduced inorganic fertilizer doses

[Wayan Wangiyana](#), [I. G. P. M. Aryana](#) and [N. W. D. Dulur](#)

AIP Conference Proceedings **2583**, 020010 (2023); <https://doi.org/10.1063/5.0116676>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Non-preference for oviposition and damage intensity on soybean genotypes by *Bemisia tabaci*

[Marida Santi Yudha Ika Bayu](#), [Apri Sulistyono](#) and [Yusmani](#)

AIP Conference Proceedings **2583**, 020011 (2023); <https://doi.org/10.1063/5.0119453>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Evaluation of maize-soybean intercropping on specific dry land in Gunungkidul – Yogyakarta

[Kristamtini](#), [Setyorini Widyayanti](#) and [Endang Wisnu Wiranti](#)

AIP Conference Proceedings **2583**, 020012 (2023); <https://doi.org/10.1063/5.0116328>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effect of root growth regulator and environmental sanitation of *salacca edulis* seedling on Sleman

[Reki Hendrata](#) and [Damasus Riyanto](#)

AIP Conference Proceedings **2583**, 020013 (2023); <https://doi.org/10.1063/5.0123970>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effectiveness of giving organic matter to the productivity of tomato plants

Soetriono, [Oria Alit Farisi](#), [Basuki](#), [Sigit Prastowo](#), [Uyun Erma Malika](#) and [Diah Ayu](#)
AIP Conference Proceedings **2583**, 020014 (2023); <https://doi.org/10.1063/5.0119712>

- [SHOW ABSTRACT](#)
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Growth and quality of seed bulb of four garlic varieties on different NPK level at Alahan Panjang, Indonesia

[Nilla Kristina](#), [Yusniwati](#), [Warnita](#) and [Elara Resigia](#)
AIP Conference Proceedings **2583**, 020015 (2023); <https://doi.org/10.1063/5.0116061>

- [SHOW ABSTRACT](#)
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Length of the wet seasons and its effect on food crop productivity (rice, corn, and soybean)

[Razhika Faradila](#) and [Cahyoadi Bowo](#)
AIP Conference Proceedings **2583**, 020016 (2023); <https://doi.org/10.1063/5.0115799>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

An analysis on the relationship and genetic diversity of Indonesian cassava accessions (*Manihot esculenta*)

[Sholeh Avivi](#), [Fajar Firmansyah](#), [Bella Rhea Lavifa Sanjaya](#) and [Didik Pudji Restanto](#)
AIP Conference Proceedings **2583**, 020017 (2023); <https://doi.org/10.1063/5.0117487>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Influence of foliar spraying of *Moringa oleifera* extract as biostimulant on growth of Singgalang cabbage (*Brassica oleraceae* var. capitata L.)

[Zozy Aneloi Noli](#), [Sintia Rahmadani](#) and [Putri Aliyyanti](#)
AIP Conference Proceedings **2583**, 020018 (2023); <https://doi.org/10.1063/5.0117059>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)

○ EXPORT CITATION

No Access January 2023

Application of biopesticides to *Nilaparvata lugens* Stal. and *Triporyza incertulas* L. in Jember, East Java, Indonesia

Wagiyana

AIP Conference Proceedings **2583**, 020019 (2023); <https://doi.org/10.1063/5.0116697>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No Access January 2023

Pollinating insects in honey pumpkin (*Cucurbita moschata* Dusch) and sweet corn (*Zea mays* L. *saccharata* Sturt) agroecosystems

Wilyus, Hamdan Maruli Siregar and Mikha Rosio Hutagaol

AIP Conference Proceedings **2583**, 020020 (2023); <https://doi.org/10.1063/5.0116313>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No Access January 2023

Insecticidal activity of *Syzygium aromaticum* leaves and *Allium sativum* bulbs extracts against subterranean termites *Macrotermes gilvus* Hagen (Blattodea: termitidae)

[Junianto S. Batubara](#), [Idham Sakti Harahap](#) and [Dadang](#)

AIP Conference Proceedings **2583**, 020021 (2023); <https://doi.org/10.1063/5.0116179>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

Open January 2023

Intensity of purple spot disease due to attack *Alternaria porri* (Ellis) Cif. in 5 varieties of garlic (*Allium sativum* L.)

[Yenny Muliani](#), [Eti Heni Krestini](#), [Junengsih](#) and [Mia Nurul Milani](#)

AIP Conference Proceedings **2583**, 020022 (2023); <https://doi.org/10.1063/5.0116420>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Morphology and genetic diversity of *Fusarium* spp. causes of shallot basal plate rot diseases from lowlands and highlands of North Sumatra

M. Utami, Hasanuddin and I. Safni

AIP Conference Proceedings **2583**, 020023 (2023); <https://doi.org/10.1063/5.0119735>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Diversity and species composition of weeds in rice cultivation, Tarakan Island

Abdul Rahim, Alisa, Aditya Murti Laksono, Muh Adiwena and Nurmaisah

AIP Conference Proceedings **2583**, 020024 (2023); <https://doi.org/10.1063/5.0119059>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Responses of roots and leaves in nine varieties of chili pepper (*Capsicum annuum* L.) to water saturated rhizosphere

[Erna Siaga](#), [Jun-Ichi Sakagami](#), [Benyamin Lakitan](#), [Shin Yabuta](#), [Kartika Kartika](#) and [Laily Ilman Widuri](#)

AIP Conference Proceedings **2583**, 020025 (2023); <https://doi.org/10.1063/5.0116389>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Adaptation test for shallots varieties in Kutai Kartanegara Regency, East Kalimantan Province

[Yossita Fiana](#) and [Muhamad Hidayanto](#)

AIP Conference Proceedings **2583**, 020026 (2023); <https://doi.org/10.1063/5.0116719>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Physiological response of three large-seeded soybean genotypes under drought and waterlogged stress conditions

[Kisman](#), [A. Farid Hemon](#), [Sumarjan](#) and [Suprayanti Martia Dewi](#)

AIP Conference Proceedings **2583**, 020027 (2023); <https://doi.org/10.1063/5.0116156>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)

- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

Open January 2023

Contribution of genotype and Bayfolan foliar fertilizer on performance of arabica coffee seedlings and its genetic component

[Sabam Malau](#), [Rianto Sirait](#), [Ferlist Rio Siahaan](#) and [Maria Rumondang Sihotang](#)

AIP Conference Proceedings **2583**, 020028 (2023); <https://doi.org/10.1063/5.0116126>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

Open January 2023

Agronomic characteristics and potential of local variety of citronella oil in Cianjur Regency, West Java

[Agus Ruswandi](#), [Aji Winara](#), [Wara Asfiya](#), [Cheppy Syukur](#), [Iskandar Ishaq](#), [Bambang Susanto](#) and [Yonky Indrajaya](#)

AIP Conference Proceedings **2583**, 020029 (2023); <https://doi.org/10.1063/5.0116368>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Response of growth and production of sweet corn plants on ex-cane soil

[D. Setyorini](#), [R. U. Fitria](#), [F. N. Azis](#), [T. Sudaryono](#), [H. Subagio](#) and [E. Fidiyawati](#)

AIP Conference Proceedings **2583**, 020030 (2023); <https://doi.org/10.1063/5.0117540>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The soil liming in a sub-watershed by using exchangeable aluminium and effective cation exchange capacity methods

[Cahyoadi Bowo](#) and [Nadiva Aulia Zahni](#)

AIP Conference Proceedings **2583**, 020031 (2023); <https://doi.org/10.1063/5.0116213>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Identification of *Simplicillium lanosoniveum* at suppressive soil potential areas in Brantas watershed – Indonesia

[Ambar Susanti](#), [Primaadi Airlangga](#) and [Ino Angga Putra](#)

AIP Conference Proceedings **2583**, 020032 (2023); <https://doi.org/10.1063/5.0116197>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Optimization of factors affecting rubber farmer revenue to preserve their household revenue

[Iman Satra Nugraha](#), [Aprizal Alamsyah](#), [Andi Nur Cahyo](#), [Dwi Shinta Agustina](#) and [Lina Fatayati Syarif](#)

AIP Conference Proceedings **2583**, 020033 (2023); <https://doi.org/10.1063/5.0115819>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Outlying observation in stability analysis of genotype: AMMI vs Huehn method

[Halimatus Sa'diyah](#) and [Alfian Futuhul Hadi](#)

AIP Conference Proceedings **2583**, 020034 (2023); <https://doi.org/10.1063/5.0117661>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)

○ EXPORT CITATION

No Access January 2023

Azolla compost-based organomineral fertilizer for increasing N uptake, growth, and yield of green onion

[Marwanto](#), [Melisa Oktaviani Silitinga](#), [Yudhi Harini Bertham](#), [Merakati Handajaningsih](#) and [Prasetyo](#)
AIP Conference Proceedings **2583**, 020035 (2023); <https://doi.org/10.1063/5.0116207>

• SHOW ABSTRACT

•

○ PDF

○ E-READER

○ ADD TO FAVORITES

○ SHARE

○ EXPORT CITATION

No Access January 2023

The effectiveness application of urea fertilizer coated with compost of empty oil palm bunch in tablet formula on growth, yield, and N content of celery

[Merakati Handajaningsih](#), [Marwanto](#), [Sri Mulyani Lubis](#), [Teguh Adiprasetyo](#) and [Prasetyo](#)
AIP Conference Proceedings **2583**, 020036 (2023); <https://doi.org/10.1063/5.0116209>

• SHOW ABSTRACT

•

○ PDF

○ E-READER

○ ADD TO FAVORITES

○ SHARE

○ EXPORT CITATION

No Access January 2023

Compost tea as biofungicides to suppress *Sclerotium rolfsii* on soybean (*Glycine max* L. Merr.)

[Supratman Al Rizal Moniteria](#), [M. Taufik Fauzi](#) and [Ruth Stella Petrunella Thei](#)
AIP Conference Proceedings **2583**, 020037 (2023); <https://doi.org/10.1063/5.0116167>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Viral diseases of sugarcane in Indonesia: Occurrence notes, pathogenic characteristics and management strategies

[Lilik Koesmihartono Putra](#), [Ari Kristini](#) and [Wiwit Wicaksono Jati](#)
AIP Conference Proceedings **2583**, 020038 (2023); <https://doi.org/10.1063/5.0116089>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The phytoremediation potential of several plants in heavy-metal-polluted tropical soils

[Septi Nurul Aini](#), [Gianluigi Silva](#), [Henrie Buchari](#) and [Abdul Kadir Salam](#)
AIP Conference Proceedings **2583**, 020039 (2023); <https://doi.org/10.1063/5.0116581>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)

- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The soil available-potassium enrichment by several potential tropical weeds

[Abdul Kadir Salam](#), [N. Sriyani](#), [S. K. Dewi](#) and [M. Utomo](#)

AIP Conference Proceedings **2583**, 020040 (2023); <https://doi.org/10.1063/5.0116362>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Response of 16 rice varieties (*Oryza sativa* L.) to high temperature at vegetative stage

[Prita Sari Dewi](#), [Ida Widiyawati](#), [Kartika Ferrawati](#) and [Aldakris Afifah Nursela](#)

AIP Conference Proceedings **2583**, 020041 (2023); <https://doi.org/10.1063/5.0116158>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Tolerance level of rice (*Oryza sativa* L.) to aluminum stress in ultisol soil

Eries Dyah Mustikarini, Ratna Santi, Gigih Ibnu Prayoga and Mardian Hasanah
AIP Conference Proceedings **2583**, 020042 (2023); <https://doi.org/10.1063/5.0117338>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Propagation of stem cuttings of some ornamental plants at various Rootone-F concentrations

Hikma Ellya, Nurlaila, Nukhak Nufita Sari, Rila Rahma Apriani and Ronny Mulyawan
AIP Conference Proceedings **2583**, 020043 (2023); <https://doi.org/10.1063/5.0118355>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Agronomic characteristics of soybean production determination in two cultivation techniques attacked by *Etiella zinckenella* in dry land

B. A. Patu, M. Sarjan, Tarmizi and Tantawizal
AIP Conference Proceedings **2583**, 020044 (2023); <https://doi.org/10.1063/5.0117130>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

BIOTECHNOLOGY AND BIOMOLECULE

No Access January 2023

Effect of lignocellulolytic fungi to biodegradation of different type of organic waste derived from cocoa production

[Intan Nirmalasari](#), [Erwin Prastowo](#), [Anisa Aulia Rahma](#) and [Gracia Melsiana Aldini](#)
AIP Conference Proceedings **2583**, 040001 (2023); <https://doi.org/10.1063/5.0119710>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Morphological performance of rambutan (*Nephelium lappaceum* L.) for biodiesel raw materials

[Triyas Vinandita](#), [Endang Yuniastuti](#) and [Samanhudi](#)
AIP Conference Proceedings **2583**, 040002 (2023); <https://doi.org/10.1063/5.0116458>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Free radical study of Papua's candy as consumption culture of Papuans

[Livy Febria Tedjamulia](#), [Ivana Josephin Purnama](#), [Jasmine Veldina Gegono](#) and [Achmad Ridwan Ariyantoro](#)

AIP Conference Proceedings **2583**, 040003 (2023); <https://doi.org/10.1063/5.0115806>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Utilization of coconut water for in vitro shoots multiplication of *Pogostemon cablin* Benth. 'Sidikalang' and essential oil profile

[Natasha Florenika](#), [Go Gaby Eliazar](#), [Wina Dian Savitri](#), [Didik Pudji Restanto](#) and [Popy Hartatie Hardjo](#)

AIP Conference Proceedings **2583**, 040004 (2023); <https://doi.org/10.1063/5.0118813>

No Access January 2023

Characterization and evaluation of lipase inhibitory activity of Raja Sereh (*Musa sapientum*) banana kombucha enriched with lactic acid bacteria

[Yati Maryati](#), [Agustine Susilowati](#), [Hani Mulyani](#), [Euis Filaila](#), [Hakiki Melanie](#), [Setyani Budiari](#) and [Aspiyanto](#)
AIP Conference Proceedings **2583**, 040005 (2023); <https://doi.org/10.1063/5.0115824>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

AGRICULTURAL ENGINEERING AND TECHNOLOGY

No Access January 2023

Soil structures engineered with the addition of soil stabilizing agents and exopolysaccharide-producing bacteria

[Arthur F. C. Regar](#)

AIP Conference Proceedings **2583**, 060001 (2023); <https://doi.org/10.1063/5.0124178>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

Open January 2023

Using Landsat to track land use and land cover (LULC) change from 1970 to 2020 in Mayang watershed, East Jawa

[Mohamad Wawan Sujarwo, Farid Lukman Hakim and Indarto Indarto](#)

AIP Conference Proceedings **2583**, 060002 (2023); <https://doi.org/10.1063/5.0117111>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No AccessJanuary 2023

Using Sentinel image to study land cover change from 2015 to 2019 in Probolinggo and Pasuruan regencies

Ayu Rekno Wati, Indarto Indarto and Bayu Taruna Wijaya Putra

AIP Conference Proceedings **2583**, 060003 (2023); <https://doi.org/10.1063/5.0117114>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No AccessJanuary 2023

The effect of climate change perception on adaptation strategy: Evidence from potato farmers in East Java Indonesia

Syafrial, Dwi Retnoningsih, Tina Sripurwanti and Moh. Shadiqur Rahman

AIP Conference Proceedings **2583**, 060004 (2023); <https://doi.org/10.1063/5.0116147>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No AccessJanuary 2023

Evaluation of service quality at the “Merah Putih” gamma irradiator using a fuzzy SERVQUAL based method

[Indra Milyardi](#), [Nunik Madyaningarum](#) and [Rizka Fitriana](#)
AIP Conference Proceedings **2583**, 060005 (2023); <https://doi.org/10.1063/5.0116904>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Effect of temperature and drying time on the physical properties of *patik mas* (*Euphorbia heterophylla*) leaf tea

[Edo Hariyanto](#), [R. Amilia Destryana](#) and [Eko Adi Sumitro](#)
AIP Conference Proceedings **2583**, 060006 (2023); <https://doi.org/10.1063/5.0116144>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Five decades of land use and land cover change in Bedadung watershed: Learning from Landsat data

[Farid Lukman Hakim](#), [Indarto Indarto](#), [Entin Hidayah](#) and [Bowo Eko Cahyono](#)
AIP Conference Proceedings **2583**, 060007 (2023); <https://doi.org/10.1063/5.0117116>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)

- [EXPORT CITATION](#)

No Access January 2023

The effect of composted oyster mushroom baglog waste on rice growth and productivity in acid sulfate soils

[Jumar](#), [Riza Adrianoor Saputra](#), [Muhammad Imam Nugraha](#) and [Ahmad Ghazali](#)

AIP Conference Proceedings **2583**, 060008 (2023); <https://doi.org/10.1063/5.0116297>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Kinetics reaction of the Flynn Wall Ozawa method on sawdust pyrolysis using a small scale pyrolysis apparatus

[Alif Gita Arumsari](#), [Jemmy Wibowo](#), [Rasino Setiawan](#), [Mukhammad Yazid Fadlulloh](#) and [Pandit Hernowo](#)

AIP Conference Proceedings **2583**, 060009 (2023); <https://doi.org/10.1063/5.0116080>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Performance of ultrafiltration membrane in separating valuable components from hydrolyzed corn (*Zea mays var. indentata*) for fortificant of natural folic acid

[Aspiyanto](#), [Agustine Susilowati](#), [Hakiki Melanie](#) and [Yati Maryati](#)
AIP Conference Proceedings **2583**, 060010 (2023); <https://doi.org/10.1063/5.0115871>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Resource potential in agricultural areas based on farmer corporations in Nglanggeran Village, Patuk, Gunungkidul, Yogyakarta

[Retno Utami Hatmi](#), [Purwaningsih](#), [Asep Nurhikmat](#), [C. Astri Wirasti](#) and [Gunawan](#)
AIP Conference Proceedings **2583**, 060011 (2023); <https://doi.org/10.1063/5.0117008>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Potency of UF system in concentrating corn (*Zea mays var. indentata*) hydrolyzate as fortificant of natural folic acid

[Agustine Susilowati](#), [Yati Maryati](#), [Aspiyanto](#) and [Hakiki Melanie](#)
AIP Conference Proceedings **2583**, 060012 (2023); <https://doi.org/10.1063/5.0115856>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)

- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effect of hot compressed water on ion released of a wasted biomass treatment

[Miftahul Choiron](#) and [Seishu Tojo](#)

AIP Conference Proceedings **2583**, 060013 (2023); <https://doi.org/10.1063/5.0116208>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Land suitability evaluation 3D method for mapping the feasibility of the Gambir plantation (*Uncaria Gambir. Roxb*) in West Sumatra, Indonesia

[Aflizar, Jamaluddin](#) and [Amrizal](#)

AIP Conference Proceedings **2583**, 060014 (2023); <https://doi.org/10.1063/5.0116402>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Effectiveness of application of organic fertilizer on plant growth and yield of taro on dry land

Andi Masnang and Dyah Budibruri Wibaningwati

AIP Conference Proceedings **2583**, 060015 (2023); <https://doi.org/10.1063/5.0116537>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Purifying pollutant indicators in tofu factory wastewater using a multi soil layering system

Aflizar, Rini Mayyuliani, Jamaluddin and Amrizal

AIP Conference Proceedings **2583**, 060016 (2023); <https://doi.org/10.1063/5.0116427>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

FOOD SCIENCES AND SMART EDUCATION FOR PLANT-BASED DIET

No Access January 2023

Bioactivities and organoleptic analysis of dark chocolate probiotic as a functional beverage

[Hani Mulyani](#), [Andini Sundowo](#), [Euis Filaila](#) and [Minarti](#)
AIP Conference Proceedings **2583**, 090001 (2023); <https://doi.org/10.1063/5.0115842>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Machine learning and thin layer drying model of gembili (*Dioscorea sp.*)

[Tri Hadi Jatmiko](#) and [Yuniar Khasanah](#)
AIP Conference Proceedings **2583**, 090002 (2023); <https://doi.org/10.1063/5.0116387>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Analysis of physical resistance of black grape (*vitis vinivera*) exposed to extremely low frequency (ELF) magnetic field with intensity of 300 μ T and 500 μ T

[Sudarti](#), [Enik Wasiah Niati](#) and [Sherly Nur Laili](#)
AIP Conference Proceedings **2583**, 090003 (2023); <https://doi.org/10.1063/5.0124188>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Analysis active compounds of *Carica papaya*, *Averrhoa bilimbi*, and *Chromolaena odorata* leaves from geothermal area

[Tahara Dilla Santi](#), [Radhiah Zakaria](#), [Aditya Candra](#) and [M. Dharma Nauval](#)
AIP Conference Proceedings **2583**, 090004 (2023); <https://doi.org/10.1063/5.0116236>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Antioxidant, anti-microbial, and physical properties improvement of turmeric (*Curcuma domestica* Val.) effervescent tablets with stevia (*Stevia rebaudiana*) leaf powder

[Maria Belgis](#), [Ardiyan Dwi Masahid](#), [Fitri Aulia Rahmawati](#) and [Nur Fathonah Sadek](#)
AIP Conference Proceedings **2583**, 090005 (2023); <https://doi.org/10.1063/5.0116410>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Notes on edible poaceae collected at Eka Karya Bali Botanic Garden

Arrohmatu Syafaqoh Li'aini and Farid Kuswantoro

AIP Conference Proceedings **2583**, 090006 (2023); <https://doi.org/10.1063/5.0117202>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No Access January 2023

Antibacterial activity of fermented katuk leaves (*Sauropus androgynus* (L.) Merr.) against gram positive bacteria and its free radical inhibitory

Hani Mulyani, Yati Maryati, Euis Filaila, Hakiki Melanie and Setyani Budiari

AIP Conference Proceedings **2583**, 090007 (2023); <https://doi.org/10.1063/5.0115839>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No Access January 2023

Separation and concentration of phycocyanin from *Spirulina* sp. using microfiltration membrane for natural pigment

[Hakiki Melanie](#), [Aspiyanto](#), [Hani Mulyani](#), [Euis Filaila](#), [Nina Artanti](#), [Agustine Susilowati](#), [Syelvira Febrianelly](#) and [Awalina Satya](#)
AIP Conference Proceedings **2583**, 090008 (2023); <https://doi.org/10.1063/5.0115837>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

***Gracilaria verrucosa* flour as a nutraceutical source: A study of various treatments on the stability of nutritional content and antioxidants**

[Lukman Hudi](#), [Wignyanto](#), [Irnia Nurika](#) and [Nur Hidayat](#)
AIP Conference Proceedings **2583**, 090009 (2023); <https://doi.org/10.1063/5.0116534>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Effect of fermentation on the physicochemical properties of Indonesian indigenous *Xanthosoma undipes* K. Koch flour

[Yeyen Prestyaning Wanita](#), [Retno Utami Hatmi](#) and [Elda Nurnasari](#)
AIP Conference Proceedings **2583**, 090010 (2023); <https://doi.org/10.1063/5.0117104>

- [SHOW ABSTRACT](#)
-
- [PDF](#)

- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The sensory profile of unfermented cocoa beans and its changes after moisture treatments

[Ariza Budi Tunjung Sari](#), [Maria Belgis](#), [Winda Amilia](#) and [Fauzan Mufid Murtadlo](#)
AIP Conference Proceedings **2583**, 090011 (2023); <https://doi.org/10.1063/5.0117087>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Investigating physical and visual alterations of oven-dried cabya (*Piper retrofractum* Vahl.)

[Hamzah Fansuri](#), [Muhamad Purnomo Adi](#), [Moh. Tsabit Abdullah](#) and [Mojiono](#)
AIP Conference Proceedings **2583**, 090012 (2023); <https://doi.org/10.1063/5.0115788>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Utilization of moisture sorption isotherm in predicting shelf-life of salted-roasted peanut

[Umi Laila](#), [Rifa Nurhayati](#), [Yuniar Khasanah](#) and [Dini Ariani](#)

AIP Conference Proceedings **2583**, 090013 (2023); <https://doi.org/10.1063/5.0117174>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Exploring daily diet and physical activity habit changes associated with COVID-19 pandemic: A preliminary study in Java

[R. Amilia Destryana](#), [Anisa Aprilia](#) and [Aryo Wibisono](#)

AIP Conference Proceedings **2583**, 090014 (2023); <https://doi.org/10.1063/5.0117090>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Microwave-assisted extraction and characterisation of pectin from pineapple biomass

[Meldana Lumbanraja](#), [Nissa Nurfajrin Solihat](#), [Dewi Sondari](#), [Riska Surya Ningrum](#), [Dwi Ajias](#)

[Pramasari](#), [Euis Hermiati](#), [Bambang Nurhadi](#), [Yusuf Wibisono](#) and [Riksfardini Annisa Ermawar](#)

AIP Conference Proceedings **2583**, 090015 (2023); <https://doi.org/10.1063/5.0116775>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Novelty and smart education of microalgae *Spirulina* and *Chlorella* sp. based sausages

[Jasmine Veldina Gegono](#), [Livy Febria Tedjamulia](#), [Hanif Fakhri Suryono](#), [Ivana Josephin Purnama](#), [Septi Wahyu Wijayanti](#), [Esti Widowati](#) and [Eksa Rusdiyana](#)
AIP Conference Proceedings **2583**, 090016 (2023); <https://doi.org/10.1063/5.0116602>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The effect of satisfaction and competitive advantage on the SMEs sustainability of local coffee shops: A case in Yogyakarta, Indonesia

[Nanda Rusti](#) and [Irham](#)
AIP Conference Proceedings **2583**, 090017 (2023); <https://doi.org/10.1063/5.0116148>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Impact of virgin coconut oil (VCO) on probiotic *Lactobacillus delbrueckii subsp. bulgaricus*

Miksusanti, Herlina, Budi Untari, Dasril Basir, Indah Solehah and Ulfi
AIP Conference Proceedings **2583**, 090018 (2023); <https://doi.org/10.1063/5.0124216>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Physical and milling quality of local rice variety and new superior varieties in Indonesia

Siti Dewi Indrasari, Heni Purwaningsih, Titiek Farianti Djaafar, Purwaningsih, Mahargono
Kobarsih and Kristamtini
AIP Conference Proceedings **2583**, 090019 (2023); <https://doi.org/10.1063/5.0116336>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Production of black garlic from local garlic varieties of Lumbu Hijau at various aging

Herlina, Siswoyo Soekarno and Johan Alif Ivansyah

AIP Conference Proceedings **2583**, 090020 (2023); <https://doi.org/10.1063/5.0119650>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2023

Effect of packaging and storage temperature to quality and shelf-life of corn egg-roll

[Nur Aini](#), [Hidayah Dwiyantri](#), [Retno Setyawati](#), [Budi Sustriawan](#) and [Abdullah Syukur](#)
AIP Conference Proceedings **2583**, 090021 (2023); <https://doi.org/10.1063/5.0115873>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No AccessJanuary 2023

Concentration index of feed production based on harvested area of rice plants in the farmers groups, Siparappe village, Sawitto district, Pinrang Regency as one of the ruminant livestock feed bases in fulfilling animal foods

[Surya](#) and [R. Rahman](#)
AIP Conference Proceedings **2583**, 090022 (2023); <https://doi.org/10.1063/5.0117106>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)

- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Antioxidant study of the gambier leaves by-products into tea with red ginger powder addition (*Zingiber officinale var. Rubrum*)

[I. Ketut Budaraga](#) and [Dian Pramana Putra](#)

AIP Conference Proceedings **2583**, 090023 (2023); <https://doi.org/10.1063/5.0117233>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Detection of pesticide residue in forages for dairy farms in Jember district, East Java

[Listya Purnamasari](#), [Melinda Erdya Krismaputri](#), [Desy Cahya Widianingrum](#), [Himmatul Khasanah](#), [Roni Yulianto](#) and [Saifuddin Hasjim](#)

AIP Conference Proceedings **2583**, 090024 (2023); <https://doi.org/10.1063/5.0117143>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

Open January 2023

Effect of kale juice product quality (*Brassica oleracea A*) towards consumer satisfaction

Hamyana, Putri Wanda Hamidah and Ainu Rahmi

AIP Conference Proceedings **2583**, 090025 (2023); <https://doi.org/10.1063/5.0116393>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Physicochemical, fatty acid profile and antioxidant properties of mahogany (*Swietenia humilis Zucc.*) seeds oil

A. P. Asmara, Cut Nuzlia, Hernawan and Roni Maryana

AIP Conference Proceedings **2583**, 090026 (2023); <https://doi.org/10.1063/5.0115800>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Sensorial properties of cooked rice samples from the Merauke Regency

Anastasia Fitria Devi, Enung Sri Mulyaningsih, Yuliana Galih Dyan Anggraheni, Yuli Sulistyowati, Eko Binnaryo Mei Adi and Fiqolbi Nuro

AIP Conference Proceedings **2583**, 090027 (2023); <https://doi.org/10.1063/5.0115836>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

SMART SOCIAL, COMMUNICATION, AND POLITICS IN INDUSTRIAL AGRICULTURE

No Access January 2023

Farmer response to the implementation of farmer card

[Illia Seldon Magfiroh, Ahmad Zainuddin, Rudi Wibowo, Intan Kartika Setyawati and Rena Yunita Rahman](#)
AIP Conference Proceedings **2583**, 100001 (2023); <https://doi.org/10.1063/5.0124185>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Analysis of sustainable arabica coffee agribusiness development activities during the Covid-19 pandemic in Ijen Raung, Bondowoso Regency

[Muksin, Viqedina Rizky Noviyanti and Alamsyah Sutantio](#)
AIP Conference Proceedings **2583**, 100002 (2023); <https://doi.org/10.1063/5.0116195>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Analysis of major constraints on the development of non-smoking tobacco derivative products in Jember Regency

[Okti Auliya H.](#), [Muksin](#), [Sumadi](#) and [D. Purwoko](#)

AIP Conference Proceedings **2583**, 100003 (2023); <https://doi.org/10.1063/5.0116155>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

The influence of knowledge about sustainable marketing on the purchase decision of certified organic coffee in East Java Province, Indonesia

[Abdul Wahib Muhaiman](#), [Dwi Retnoningsih](#), [Rachman Hartono](#) and [Hari Wahyu Wijayanto](#)

AIP Conference Proceedings **2583**, 100004 (2023); <https://doi.org/10.1063/5.0116141>

- [SHOW ABSTRACT](#)
-
- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

No Access January 2023

Indonesian cocoas export commodity: A comparison in competition and the affecting factors

Yuli Hariyati and Dina Roffida Haqqi Daqianus

AIP Conference Proceedings **2583**, 100005 (2023); <https://doi.org/10.1063/5.0117379>

- SHOW ABSTRACT
-
- PDF
- E-READER
- ADD TO FAVORITES
- SHARE
- EXPORT CITATION

No Access January 2023

Implementation and success rate of “*Unit Pengolahan Pupuk Organik*” (UPPO) program (case study on Koto Panjang Saiyo Farmers Group, Pauh, Padang city, West Sumatera)

Aditya Alqamal Alianta, Amrizal Anas, Ediset and Arif Rahmad Jailani Siregar

AIP Conference Proceedings **2583**, 100006 (2023); <https://doi.org/10.1063/5.0116084>

whatsapp web - Search x (1) WhatsApp x Purifying pollutant indicat: x Download Citations x AIP Conference Proceedin: x

https://aip.scitation.org/toc/apc/2583/1?windowStart=50&size=50

HOME BROWSE INFO FOR AUTHORS FOR ORGANIZERS SIGN UP FOR ALERTS

Browse Volumes

2583


Browse Volumes

- 2613 (2023) ▾
- 2523 (2023) ▾
- 2540 (2023) ▾
- 2554 (2023) ▾
- 2634 (2023) ▾
- 2586 (2023) ▾
- 2588 (2023) ▾

Table of Contents

< PREV NEXT >

THE 5th INTERNATIONAL CONFERENCE ON AGRICULTURE AND LIFE SCIENCE 2021 (ICALS 2021): "Accelerating Transformation in Industrial Agriculture Through Sciences Implementation"



Conference date: 3-4 November 2021
Location: Jember, Indonesia
ISBN: 978-0-7354-4216-0
Editors: Peng Zhang and Tri Agus Siswoyo
Volume number: 2583
Published: Jan 13, 2023

DISPLAY: 20 50 100 all

BIOTECHNOLOGY AND BIOMOLECULE

Type here to search

31°C 10:48 PM 1/31/2023

[AIP Conference Proceedings: Vol 2583, No 1 \(scitation.org\)](https://aip.scitation.org/toc/apc/2583/1)

Purifying pollutant indicators in tofu factory wastewater using a multi soil layering system

Cite as: AIP Conference Proceedings **2583**, 060016 (2023); <https://doi.org/10.1063/5.0116427>
Published Online: 13 January 2023

Afizar, Rini Mayyuliani, Jamaluddin, et al.



View Online



Export Citation

ARTICLES YOU MAY BE INTERESTED IN

[Characteristics of electron evolution during initial low-pressure discharge stage upon microwave circuits](#)

AIP Advances **12**, 115129 (2022); <https://doi.org/10.1063/5.0130735>

[Advanced fiber in-coupling through nanoprinted axially symmetric structures](#)

Applied Physics Reviews **10**, 011401 (2023); <https://doi.org/10.1063/5.0127370>

[Scientometric analysis of research trends and frontiers on global energy transition](#)

AIP Conference Proceedings **2552**, 080017 (2023); <https://doi.org/10.1063/5.0111238>



APL Quantum

CALL FOR APPLICANTS

Seeking Editor-in-Chief

Purifying Pollutant Indicators in Tofu Factory Wastewater Using a Multi Soil Layering System

Aflizar^{1,a)}, Rini Mayyuliani^{2,b)}, Jamaluddin^{3,c)}, Amrizal^{3,d)}

¹Master's Program in Applied Food Security, Payakumbuh State Agricultural Polytechnic, Indonesia 26271

²Agricultural Water Nabagenebt Study Program, Payakumbuh State Agricultural Polytechnic, Indonesia 26271

³Technology Study Program Mechanization of Agriculture, Payakumbuh State Agricultural Polytechnic, Indonesia 26271

^{a)} Corresponding author: aflizar_melafu@yahoo.com

^{b)} [rinimayyuliani@gmail.com](mailto:rinihayyuliani@gmail.com)

^{c)} jamaluddin@gmail.com

^{d)} amrizalch@gmail.com

Abstract. The MSL system used during this experiment was made in a field laboratory scale with dimensions (height 200 cm x width 50 cm x length 50 cm). The main component of the MSL system consists of a mixed soil layer (SML) arranged in a triangular soil horizon pattern and surrounded by a Split Rock layer as a permeable layer (SSP). SML is made from local natural resources, namely sandy clay loam, sawdust from coconut stalks (*Cocos nucifera*) and iron pellets from lathe waste with a dry weight ratio of 8 : 1.9 : 0.1. The Tofu factory wastewater is channeled into the MSL system with a hydraulic loading rate (HLR) of 3166 L/m²/hour utilizing the force of gravity. Average removal efficiency of Total Suspended Solids (TSS), Biochemical Oxygen Demand (BOD₅), Chemical Oxygen Demand (COD), Nitrate-Nitrogen (NO₃⁻-N), Phosphorus (PO₄⁻-P), Oils and grease, Electric Conductivity (EC), Total Dissolved Solid (TDS) and Salt (NaCl) were 67, 97, 97, 99, 77, 99, 78, 64 and 81%, respectively. The bad odor and color indicators of wastewater can also be efficiently removed with the MSL system. From this fact, the MSL system is efficient and capable of removing organic matter, phosphorus, nitrogen, oil and grease, odor and color. MSL system recommended for removing contaminants from Tofu Factory wastewater.

INTRODUCTION

In urban and rural areas in Indonesia, liquid waste is discharged into rivers and waters without prior treatment, causing serious problems because the liquid waste contains high concentrations of nutrients, organic matter and pathogens [1-4]. In addition, the community's minimal environmental awareness and the absence of public wastewater treatment provided by the government or the private sector both in rural and urban areas are the driving factors for increasing disease by microorganisms and contamination of surface water and underground water. To overcome environmental problems due to the disposal of this liquid waste, the only way is by processing the liquid waste itself to purify the pollutants contained therein [5].

The tofu industry is widely spread in urban and rural areas in Indonesia. Generally, the liquid waste generated poses a big problem because it is discharged directly into the environment without being processed, causing a low aesthetic odor and polluting the waters. In fact, in the field in rural and urban areas there is a tofu industry. The rest of the production in the form of liquid waste has caused damage to the ecosystem and then the extinction of certain organisms and decreased water quality [1-4].

The current liquid waste purification technology is still very expensive and requires professional experts to operate it. To overcome this problem, so that wastewater purification technology in urban and rural areas can be adopted sustainably by the government and the community, the conditions must be cheap and simple to operate, such as

wetland lagoon technology and sand filters [6]. Although the sanitation performance of the above technology is good, it requires a large area of land and the price is still too expensive for developing countries[5]. Various methods have been tried to treat tofu liquid waste in Indonesia such as the method of adsorption of activated carbon oxidation, chemical oxidation method and digestion[7,8]. However, it is still expensive and difficult to operate when applying this method. One of the simple, inexpensive and simple technologies in operation for wastewater treatment, the MSL system was introduced. It turned out to be successful in purifying liquid waste in Japan [9-15]. Furthermore, this MSL system, was also tested in China, in Thailand, in the United States, in Morocco to purify domestic wastewater [16-18, 5] and waste water from tofu factories in Indonesia [1].

Natural soils or conventional soil systems for treating wastewater have disadvantages because they are easily clogged and the flow rate is low. Therefore, this MSL system corrects the weaknesses of the conventional soil system. Through intelligent innovation, MSL treats liquid waste by increasing the flow rate of processed liquid waste and overcoming blockages in the system. The Smart innovation by improving the existing structure in the MSL system so as to increase the ability of the soil to filter and absorb contaminants in wastewater. So that the MSL system is not easily clogged and is able to treat wastewater with a high flow rate and is also able to reduce nutrients and organic matter in the wastewater [11].

The MSL system has the advantage that it is rarely clogged and the area required for installation is small. High flow rate (HLR), simple maintenance and 20 years effective service life in treating domestic wastewater [19]. Therefore, this MSL system is enough to be a solution to treat industrial tofu wastewater in rural and urban areas in Indonesia. MSL systems can be made from locally available materials in rural and urban areas such as soil, iron pellets, sawdust [2-4]. According to [12] the MSL system has an aerobic layer and an anaerobic layer where the aerobic permeable layer is based on zeolite or split rock. As for the mixed soil layer which is anaerobic, it can be arranged based on a brick pattern or imitate a soil horizon pattern. Wastewater that enters the MSL system is then purified by means of filtration, reabsorption and biodegradation [9-10]. Based on the problems that have been described, this study aims to assess the performance of the MSL system in purifying physicochemical pollutants contained in tofu factory wastewater. Therefore, in this study, an MSL system with a height of 2 (two) meters was made with raw materials derived from local natural resources, namely soil, sawdust and split rock to purify pollutants and contaminants in the waste water of the tofu factory.

MATERIAL AND METHODS

Description of experimental in the field and laboratory

The structure of the MSL field-laboratory system used in this study is presented in Figure 1. In the installation of the MSL system for experiments, holes are made on sloped land (200 cm high, 50 cm wide, 50 cm long). The MSL system consists of 2 main components, namely a mixed soil layer (SML) and a permeable layer (PL) made of split stone (with a diameter of 3-4 cm) and palm fiber (*Geotextile*). The mixed soil layer is made from local soil of sandy loam (*Inceptisol*) mixed with sawdust from coconut trees (*Cocos nucifera*), waste iron pellets from lathe with comparison (8 : 1,9 : 0,1) each on a dry weight basis (Figure 2 a,b,c,d)




FIGURE 1.Design of Structure of the Multi Soil Layering (MSL) system

The mixed soil layer is arranged in a soil horizon pattern in the form of a triangular arrangement surrounded by a layer of gravel and fibers or geotextiles. The basic physical and chemical properties of the soil used are sandy clay loam (*ordo Inceptisol*), blackish brown with a pH of 5, C-organic 6.37% and Total Kjeldahl Nitrogen 4.8 g/kg [2-4]. Sawdust from coconut trees (1- 2 mm in size), iron pellets from lathe are cut into 2 cm in size (Figure 2 d, e). Waste water from the remaining processing of soybeans into tofu that smells bad is taken from the Tofu Factory in Purwajaya

Village, close to the Politeknik Pertanian Negeri Payakumbuh (Figure 2 f,g). wastewater is taken twice a week and discharged into the MSL system at a Hydraulic Loading rate (HLR) 792 L/ 0.25 m²/hour or 3168 L/m²/hour or 76 M³/m²/day. The waste water tank is installed above the MSL system and by gravity, Tofu wastewater is discharged or discharged into the MSL system. Aeration or natural inflow of air from pipes placed above the MSL system which aims to create aerobic and anaerobic conditions in the MSL system (Figure 1).




FIGURE 2.Materials for the MSL system and Tofu Factory Wastewater Sources: (a) Local soil, (b) sawdust, (c) iron lathe, (d) split stone, (e) Geotextile fibers, (f) Tofu Factory and (g) disposal of tofu factory wastewater.

Description of experimental in the field and laboratory

At almost the same time raw and foul smelling tofu factory wastewater and tofu factory wastewater have been treated the system is collected about 1 time a month for testing of chemical and physical pollutant parameters collected by plastic bottles on the influent and effluent from the MSL system. 1000 ml of water samples were taken at each sample point and stored in the refrigerator at 4°C. For testing physical parameters such as Color and Odor, organoleptic methods were used using 40 respondents. The Analysis of suspended solids (TSS) with gravimetric filtration method. In the analysis of wastewater chemical parameters such as pH, Electric Conductivity (EC), Total Dissolved Solid (TDS) and salt (NaCl) were measured using a multipara meter probe with the Mi 170 Bench meter. Biochemical

Oxygen Demand was measured in 5 test days (BOD₅) using the Warburg method. Chemical Oxygen Demand (COD) was analyzed by the dichromate reflux method [20]. The concentration of phosphates (PO₄-P) was measured by the molybdate method and ascorbic acid was measured by the Genesys 10s UV-VIS spectrophotometry. The concentration of Nitrate Nitrogen (NO₃-N) was analyzed by concentrated sulfuric acid method and measured by Spectrophotometer Genesys 10s UV-VIS with a wavelength of 432 nm. Oil and grease (Grease and oil) were analyzed by gravimetric method using hexane solvent and separating funnel. Surfer 9 software from Golden Software was used to analyze the data and map the vertical distribution of COD and patterns of wastewater movement in the MSL system.

RESULTS AND DISCUSSION

Physico-chemical performance of MSL system in purifying Tofu Wastewater Pollutants

Table 1. shows that the concentration of all physico-chemical pollutant parameters can be reduced by the MSL system. Wastewater from the tofu factory changes from very smelly to odorless. The tofu factory waste water changes from a whitish brown color to a slightly clear one. The removal efficiency of Total Suspended Solids (TSS) is 62%. The average organic matter removal efficiency (BOD₅) is 97% and COD is 97% respectively. The occurrence of removal of organic matter in wastewater by the MSL system due to it is absorbed by the mixed porous soil layer. The MSL system presence of microorganisms to degrade organic matter in the mixed soil layer by changing the organic matter in the wastewater into H₂O and CO₂[9-12].

The average removal efficiency of NO₃-N and PO₄-P were 99.9% and 67%, respectively (Table 1). Regarding the removal of N and P, the results also showed that the MSL system was very effective in removing NO₃⁻-N and PO₄⁻-P in Tofu Wastewater. The facts from Table 1 also show that the MSL system was able to treat organic matter, color, odor and nutrients during the experiment without clogging the MSL system with a wastewater flow rate (HLR) of 792 L/ 0.25 m²/hour. The average nutrient transfer by the MSL system for TSS, BOD₅, COD, NO₃⁻-N and PO₄⁻-P were 62%, 97%, 97%, 99.9%, 67%, respectively. The physicochemical content of treated water by the MSL system for TSS, pH, BOD₅, COD NO₃⁻-N and PO₄⁻-P, oil and grease (grease and oil) has met the quality limits for the disposal of tofu factory wastewater as recommended by Laws in Indonesia (Table 1).

TABLE 1. Mean level concentration of waste water Tofu factory and Treated water by MSL system (mean + standard deviation), removal percentage and admissible limit for Tofu factory waste water reject.

| Parameter Polutant | Tofu factory Waste water | MSL system Treated water | RP (%) | Absolute removal rate (g/m ² /hour) | Admissible limit for wastewater release* |
|--------------------------|-----------------------------|-----------------------------|--------|--|--|
| Color | Brawniet white | A bit clear | - | - | - |
| Smell | Smells really bad | No bad smells | - | - | - |
| TSS (mg/L) | 31.4 + 5 | 11.9 + 0.4 | 62 | 7.8 | 200 |
| pH | 6.61 + 0.01 | 6.62 + 0.02 | - | - | 6 - 9 |
| BOD ₅ (mg/L) | 68.0 + 3 | 2.0 + 0.2 | 97 | 26.4 | 100 |
| COD(mg/L) | 864.0 + 11 | 27.2 + 3 | 97 | 323.8 | 300 |
| NO ₃ -N(mg/L) | 3,47 + 0.1 | 0.001 + 0.0 | 99 | 1.39 | 20 |
| PO ₄ -P(mg/L) | 39.67 + 0.05 | 13.03 + 0.01 | 67 | 10.66 | 20 |
| Grease and Oil(mg/L) | 44.0 + 0.3 | 0.001 + 0.0 | 99 | 17.59 | 10 |
| EC (uS/m) | 1017.7 + 15 | 228.5 + 2 | 78 | - | - |
| TDS(mg/L) | 480.0 + 6 | 174.5 + 3 | 64 | 122.2 | - |
| NaCl(%) | 2.76 + 0.4 | 0.53 + 0.05 | 81 | 892 | - |

RP: Removal Percentage

* Admissible limit for Tofu wastewater release by Indonesia government 2014

Notes: TSS, Total suspended solids; BOD₅, biological oxygen demand measured in a 5-day test; COD, chemical oxygen demand; NO₃⁻-N, nitrate; PO₄⁻-P, orthophosphates; EC, electric conductivity; TDS, total dissolved solid; NaCl, salts

It was proven in this study that the content of organic matter, nutrients, odor and color in tofu factory wastewater can be removed by the MSL system very efficiently. Why organic matter, nutrients, odor and color can be removed from wastewater because organic matter in tofu wastewater is consumed by microorganisms as a source of carbon (C) is important for microorganisms. Meanwhile, the Odor and Color parameters are absorbed or absorbed or removed by the carbon present in the mixed soil layer. Carbon comes from local soil and Sawdust. Based on the report of [21-22] and [11] that in the MSL system, pollutants in wastewater can be physically-chemically absorbed by soil particles (SML: mixed soil layer) and split rock surface (PL: permeable layer). . Furthermore, it is broken down by microorganisms found in the mixed soil layer. In the book[23] says that in 1 tablespoon or 10 grams of natural soil contains 11 billion microorganisms. In MSL the system uses local soil as the main raw material, as well as being a source of microorganisms that play a role as a bioreactor that works to purify pollutants contained in the waste water of the tofu factory.

Although the characteristics of the tofu factory wastewater, with HLR or flow rate, the composition and dimensions of the MSL system are different from those made in Japan, China, the United States, Morocco. However the efficiency of organic matter removal is similar to that reported by other studies. In Indonesia,[1] found that the removal efficiency of BOD₅ was 95% and that of COD was 99%, respectively. Color removal or decolorization is somewhat similar to that of [21-22], ranging from 52 to 67%. Odor removal efficiency, EC, TDS, NaCl in the MSL system which is also very efficient, it turns out that this team has just reported and has not been reported by other researchers. The NO₃-N removal efficiency was very high (99%) in this study compared to that observed by [11] of 75% and [5] which is 71%. This is related to the MSL height of the system in this experiment which is higher so that perfect absorption occurs because of the height of 200 cm while in other studies it is < 100 cm. This phenomenon can be explained by the research of [19] that the high NO₃-N removal efficiency may be due to the high capability of the soil and local materials used to compose the MSL system. Where can absorb NH₄-N. In addition, it is able to maintain the coexistence of aerobic and anaerobic conditions in the MSL system in carrying out the chemical process of alternating nitrification and denitrification. This can happen because this MSL system uses local soil, local sawdust, local geotextiles, local split stone. Where it is possible to create optimal conditions and can explain the high efficiency performance in NO₃-N removal. The percentage of PO₄-P removal was quite high (67%) in the MSL system in this study. Because according to [17] and (14,15) the absorption and or rusting of iron into Fe⁺ in the mixed soil layer in the MSL system and results in binding PO₄- ions. Similar results to those obtained by [11] on domestic wastewater treated with MSL systems found the percent removal of PO₄-P between 44% and 88%, respectively. Where the HLR flow rate is 7.9 – 76 L/m²/day.

Absolute removal by the MSL system in this study was quite high in purifying tofu factory wastewater because the HLR was high, namely 792 L/ 0.25 m²/hour or 3168 L/m²/hour or 76 M³/m²/day (Table 1). (9,10) reported that for domestic wastewater treated with MSL systems in Japan with an HLR of 7.9 - 76 L/m²/hour, the absolute removal rate ranged from 0.54 to 6.25 TSS g/m²/hour, 0.2 63 - 5, 29 BOD₅ g/m²/Hour, 0.83 - 9.13 COD g/m²/Hour. This Absolute pollutant removal rate increases with increasing HLR from 21 - 83 L/m²/hour but the pollutant removal efficiency is relatively low because the residence time of effluent in the MSL system is shorter[21-22]reported that with a low HLR in MSL this system is more efficient than other natural systems such as artificial wetlands because it requires more land. Therefore, the MSL system is a better choice in purifying tofu factory wastewater for solving wastewater problems in urban and rural areas in Indonesia.

Figure 2 shows in detail the vertical distribution of COD in each layer of the MSL system as high as 200 cm and also in detail shows the movement of tofu factory wastewater from top to bottom in the MSL system. High COD removal occurred gradually at 6 levels of mixed soil layer and 6 levels of permeable layer of split rock and local palm fiber. At a depth of 120 cm from the height of the MSL system. It turns out that the COD concentration is in accordance with the quality standards recommended by the Indonesian government. The process of decreasing the COD concentration of the tofu factory wastewater continues to a depth of 200 cm from the MSL system. In the 12 layers of MSL system in this study, the process of absorption and degradation of COD occurred in a linear model. COD removal begins at the first mixed soil layer. Linearly and gradually the COD concentration continued to decrease until 97% was removed.




FIGURE 3. Vertical Distribution of Chemical Oxygen Demand (COD) in MSL system during purification of wastewater Tofu factory

This occurs in the 6th mixed soil layer. A somewhat similar result was reported by [14-15] that in the MSL system, COD removal occurred in the first mixed soil layer and continued in the 6th layer until the COD was reduced to 90%. It was found in the experimental MSL system as high as 73 cm with an HLR flow rate of 42 L/m²/hour. The MSL

system in this study has a flow rate (HLR) of 1800 times greater but has almost the same ability because it is 2.7 times higher and is made from Indonesian local raw materials.

CONCLUSIONS

It turned out that the MSL system in removing pollutants in the liquid waste of the tofu factory which was tested in this experiment showed its performance and high adaptability and was efficient in handling wastewater pollutant parameters, namely odor, color, organic matter and nutrients. This MSL system is recommended to be applied in purifying pollutants in wastewater from tofu factories which are widely spread in rural and urban areas in Indonesia. MSL system can be made from local soil and local natural resources native to Indonesia, which is widely available in rural areas. MSL system is effective and efficient with smart innovations that are simple and also cheap and have fewer operational and maintenance constraints.

ACKNOWLEDGMENTS

We thank to the Mendikbud Ristek and Politeknik Pertanian Negeri Payakumbuh or financial support and technical assistance for this research.

REFERENCES

- [1] Rahmiana Zein, Refilda Suhaili, Heric Novrian, Syukrya Ningsih, Lidya Novita, Neneng Swesty, Mukhlis, and Hilfi Pardi. 2017. Multi Soil Layering (MSL) System for Treatment of Tofu Industry Wastewater. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. RJPBCS 8(6). 675-682. <https://www.researchgate.net/publication/328980681>
- [2] Aflizardan Tim. 2018. Pengenalan IPAL STBM (Instalasi Pengolahan Air Limbah Sistem Tanah Berlapis Melafu) dan Fakta Unik di Balik IPAL Industri Milik Swastadan Negara. Politeknik Pertanian Negeri Payakumbuh.
- [3] Aflizar. 2013. Mengatasi Pencemaran Perairan Dengan Ipal Stbm (Sistem Tanah Berlapis Melafu) Untuk Mengolah Limbah Cair Home Industri Dan Domestik Dan Air Sungai Tercemar. *Politeknik Pertanian Negeri Payakumbuh*. DOI: 10.13140/RG.2.2.35549.92649.
- [4] Aflizar, Muzakir, Edi Syafri. 2014. Poster thn 1 Ristek. Rekayasa IPAL STBM (Sistem Tanah Berlapis Melafu) berbasis Tempurung Sawit dan material Lokal untuk menetralkan Polutan dalam Limbah Cair PKS DOI: 10.13140/RG.2.1.3835.7362
- [5] Lahbib LATRACH1, Tsugiyuki MASUNAGA, Naaila OUZZANI1, Abdessamad HEJAJI1, Mustapha MAHI and Laila MANDI. 2014. Removal of bacterial indicators and pathogens from domestic wastewater by the multi-soil-layering (MSL) system. *Soil Science and Plant Nutrition* (2014), 1–10. <http://dx.doi.org/10.1080/00380768.2014.974480>
- [6] Bdour AN, Hamdi MR, Tarawneh Z 2009: Perspectives on sustainable wastewater treatment technologies and reuse options in the urban areas of the Mediterranean region. *Desalination*, 237, 162–174. doi:10.1016/j.desal.2007.12.030
- [7] Starr K, Gabarrell X, Villalba G, Peiro LT, and Lombardi L. *Biomass and Bioenergy* 2014; 62: 2043-2049.
- [8] Kim MS, Lee DY, and Kim DH. *Int. J. of Hydrogen energy* 2011; 36: 8712-8719.
- [9] Masunaga T, Sato K, Mori J, Shirahama M, Kudo H, Wakatsuki T 2007a: Characteristics of wastewater treatment using a multi-soil-layering system in relation to wastewater contamination levels and hydraulic loading rates. *Soil Sci. Plant Nutr.*, 53, 215–223. doi:10.1111/j.1747-0765.2007.00128.x
- [10] Masunaga T, Sato K, Senga Y, Seike Y, Inaishi T, Kudo H, Wakatsuki T 2007b: Characteristics of CO₂, CH₄ and N₂O emissions from a multi-soil-layering system during wastewater treatment. *Soil Sci. Plant Nutr.*, 53, 173–180. doi:10.1111/j.1747-0765.2007.00118.x
- [11] Masunaga T, Sato K, Wakatsuki T 2001: Application of multi-soil-layering method in wastewater treatment. APEC virtual centre for environmental technology exchange.
- [12] Masunaga T, Sato K, Zennami T, Fujii S, Wakatsuki T 2003: Direct treatment of polluted river water by the multi-soil-layering method. *J. Water Environ. Technol.*, 1, 97–104. doi:10.2965/jwet.2003.97.
- [13] Sato K, Iwashima N, Wakatsuki T, Masunaga T 2011: Quantitative evaluation of treatment processes and mechanisms of organic matter, phosphorus, and nitrogen removal in a multi-soil-layering system. *Soil Sci. Plant Nutr.*, 57, 475–486. doi:10.1080/00380768.2011.590944

- [14] Sato K, Masunaga T, Wakatsuki T 2005a: Characterization of treatment processes and mechanisms of COD, phosphorus and nitrogen removal in a multi-soil-layering system. *Soil Sci. Plant Nutr.*, 51, 213–221. doi:10.1111/j.1747-0765.2005.tb00025.x
- [15] Sato K, Masunaga T, Wakatsuki T 2005b: Water movement characteristics in a multi-soil-layering system. *Soil Sci. Plant Nutr.*, 51, 75–82. doi:10.1111/j.1747-0765.2005.tb00009.x
- [16] Attanandana T, Saitthiti B, Thongpae S, Kritapirom S, Luanmanee S, Wakatsuki T 2000: Multi-media-layering system for food service wastewater treatment. *Ecol. Eng.*, 15, 133–138. doi:10.1016/S0925-8574(99)00041-5
- [17] Luanmanee S, Boonsook P, Attanandana T, Saitthiti B, Panichajakul C, Wakatsuki T 2002: Effect of intermittent aeration regulation of a multi-soil-layering system on domestic wastewater treatment in Thailand. *Ecol. Eng.*, 18, 415–428. doi:10.1016/S0925-8574(01)00103-3
- [18] Luo W, Yang C, He H, Zeng G, Yan S, Cheng Y 2014: Novel two-stage vertical flow biofilter system for efficient treatment of decentralized domestic wastewater. *Ecol. Eng.*, 64, 415–423. doi:10.1016/j.ecoleng.2014.01.011
- [19] Chen Xin, An Cheng Luo, Kuniaki Sato, Toshiyuki Wakatsuki & Tsugiyuki Masunaga. 2008. An introduction of a multi-soil-layering system: a novel green technology for wastewater treatment in rural areas. *Water and Environment Journal*. Print ISSN 1747-6585. doi:10.1111/j.1747-6593.2008.00143.x
- [20] APHA 1992: American Public Health Association. Standard Methods for Analysis of Waste and Waste Water. APHA, Pub, Washington, DC.
- [21] CHEN Xin, Kuniaki SATO, Toshiyuki WAKATSUKI and Tsugiyuki MASUNAGA. 2007. Comparative study of soils and other adsorbents for decolorizing sewage and livestock wastewater. *Soil Science and Plant Nutrition* (2007) 53, 189–197. doi: 10.1111/j.1747-0765.2007.00124.x
- [22] CHEN Xin, Kuniaki SATO, Toshiyuki WAKATSUKI and Tsugiyuki MASUNAGA. 2007b. Effect of aeration and material composition in soil mixture block on the removal of colored substances and chemical oxygen demand in livestock wastewater using multi-soil-layering systems. *Soil Science and Plant Nutrition* (2007) 53, 509–516 doi: 10.1111/j.1747-0765.2007.00156.x
- [23] Brady, R and Weil, NC. 2007. Nature and Properties of Soils, The, 15th Edition. Pearson . <https://www.pearson.com/us/higher-education/program/Weil-Nature-and-Properties-of-Soils-The-15th-Edition/PGM219427.html>